

Pengaruh tahu status hiv terhadap penggunaan kondom konsisten pada lelaki yang seks dengan lelaki di Yogyakarta dan Makassar (analisis data surveilans terpadu biologi dan perilaku tahun 2013)

Anggraeni, Ririn Febriana

Deskripsi Lengkap: <https://lib.fkm.ui.ac.id/detail.jsp?id=119186&lokasi=lokal>

Abstrak

Latar belakang: Hubungan seks yang berisiko menularkan HIV adalah hubungan seks dengan banyak pasangan dan berganti-ganti pasangan yang sebagian besar didominasi dengan hubungan seks komersial, baik pada kelompok heteroseksual maupun pada kelompok homoseksual atau sejenis. Kelompok yang paling berisiko tertular HIV adalah kelompok homoseksual dan biseksual yang biasa dikategorikan sebagai lelaki seks lelaki atau disebut LSL. Di banyak bagian wilayah, HIV di kalangan LSL muncul dengan penularan HIV yang sangat cepat.

Metode: Penelitian ini bertujuan untuk mengetahui pengaruh tahu status HIV terhadap penggunaan kondom konsisten pada LSL di Yogyakarta dan Makassar dan melihat adakah perbedaan hasil analisis dengan menggunakan metode RDS dan non RDS terhadap indikator program. Penelitian ini menggunakan data STBP 2013.

Hasil: Dari hasil analisis diperoleh bahwa di Yogyakarta ada pengaruh tahu status HIV terhadap penggunaan kondom konsisten dengan OR sebesar 6,6 dan 95% CI 2,1-20,9, sedangkan di Makassar belum dapat diketahui pengaruh tahu status HIV dengan penggunaan kondom konsisten dengan OR sebesar 1,6 dan 95% CI 0,6 -4,4. Ada perbedaan hasil analisis dengan menggunakan metode RDS dan non RDS terhadap indikator program.

Kesimpulan: Terdapat pengaruh tahu status HIV dengan penggunaan kondom konsisten pada lelaki yang seks dengan lelaki di Yogyakarta sedangkan di Makassar belum dapat diketahui pengaruh tahu status HIV dengan penggunaan kondom konsisten. Terdapat perbedaan hasil analisis dengan menggunakan metode RDS dan non RDS terhadap indikator program.

Kata kunci: LSL, status HIV, kondom konsisten

Introduction : Sex which higher risk of spreading HIV is sex with multiple partners and change partners that is largely dominated by commercial sex, either on the heterosexual and homosexual group, or similar sexual behaviour. Groups most at risk of contracting HIV is a group of homosexual and bisexual men are commonly categorized as men sex with men, or so-called MSM. In many parts of the region, HIV among MSM appears with HIV infection very quickly.

Methods: This study aimed to determine the effect knowing their HIV status toward consistency condom use in MSM in Yogyakarta and Makassar and to see the differences between analysis using RDS and non RDS to indicator of program. This study uses data IBBS 2013.

Summary: From the results of the analysis showed that in Yogyakarta there was an effect Yogyakarta of knowing HIV status toward consistency condom use with an OR of 6,6 and 95% CI 2,1-20,9. while in Makassar unclear knowing HIV status toward consistent condom use with an OR of 1.6 and 95% CI 0,6 - 4,1. There is differences between analysis using RDS and non RDS to indicator of program.

Conclusion: There is Influence of knowing HIV Status to consistent Condom use in Yogyakarta while in Makassar unclear knowing HIV status toward consistent condom use. There is differences between analysis using RDS and non RDS to indicator of program.

Kata kunci: MSM, HIV status, condom consistent