

Hubungan Kualitas Antenatal Care Dengan Keberhasilan ASI Eksklusif di Wilayah Kerja Puskesmas Cipayung Depok Tahun 2017

Bakara, Stella Maris

Deskripsi Lengkap: <https://lib.fkm.ui.ac.id/detail.jsp?id=131471&lokasi=lokal>

Abstrak

Pemberian ASI eksklusif dapat memberikan perlindungan yang optimal pada bayi sehingga terhindar dari berbagai penyakit yang terjadi pada tahun pertama kehidupannya. Antenatal Care (ANC) diharapkan dapat meningkatkan cakupan ASI eksklusif karena pelayanan ANC akan memotivasi ibu untuk memberikan ASI eksklusif. Penelitian ini bertujuan untuk mengetahui hubungan kualitas antenatal care terhadap keberhasilan ASI eksklusif. Penelitian ini menggunakan desain studi cross-sectional pada 169 ibu menyusui di wilayah kerja Puskesmas Cipayung, Depok. Penelitian ini menggunakan data sekunder dari penelitian Intervensi Peningkatan ASI dan MPASI Dalam Rangka Penerapan Program 1000 Hari Pertama Kehidupan. Hasil penelitian bivariat menunjukkan bahwa terdapat hubungan bermakna antara pekerjaan, pengetahuan, kualitas ANC, dan suplementasi susu dengan keberhasilan ASI eksklusif. Analisis multivariat menunjukkan suplementasi susu, pengetahuan, pekerjaan dan kualitas ANC berpengaruh terhadap keberhasilan ASI eksklusif (CI 95%; OR:5,460; 3,986; 3,700; 2,540). Faktor dominan yang berhubungan dengan keberhasilan ASI eksklusif adalah suplementasi susu (OR= 5,460). Pemberian suplementasi susu pada ibu menyusui dapat meningkatkan pemberian ASI eksklusif hingga 6 bulan

Exclusive breastfeeding can provide optimal protection for babies so that they have immunities to various diseases that occur in the first year of life. Antenatal Care (ANC) is expected to increase the coverage of exclusive breastfeeding because ANC services will motivate mothers to give exclusive breastfeeding. This study aims to determine the relationship between the quality of antenatal care and the success of exclusive breastfeeding. This study used a cross-sectional study design on 169 breastfeeding mothers in the work area of Cipayung Health Center, Depok. This study uses secondary data from previous study titled Increased Breastfeeding and Breastfeeding Supplement Intervention on Implementation of the First 1000 Days of Life Program. The results of the bivariate study showed that there was a significant relation between work, knowledge, ANC quality, and milk supplementation with the success of exclusive breastfeeding. Multivariate analysis showed milk supplementation, occupation, knowledge, and ANC quality influenced the success of exclusive breastfeeding (CI 95%; OR:5,460; 3,986; 3,700; 2,540). The dominant factor associated with the success of exclusive breastfeeding was milk supplementation (OR = 5,460). Giving milk supplementation to nursing mothers would increase exclusive breastfeeding for up to 6 months