

Analisis Utilisasi Rawat Inap Peserta JKN Wilayah Provinsi Jawa Barat Tahun 2016 (Data Sampel BPJS Kesehatan Tahun 2016)

Lutviana, Ikke

Deskripsi Lengkap: <https://lib.fkm.ui.ac.id/detail.jsp?id=134104&lokasi=lokal>

Abstrak

Penelitian ini memiliki tujuan untuk mengetahui bagaimana utilisasi rawat inap Peserta JKN di wilayah Provinsi Jawa Barat tahun 2016 yang mana utilisasi tersebut dilaksanakan di Rumah Sakit atau FKRTL. Penelitian ini merupakan penelitian kuantitatif yang bersifat cross sectional dengan mengolah data sekunder yang di dapat dari Data Sampel BPJS Kesehatan Tahun 2015-2016. Teknik pengambilan sampel pada penelitian ini adalah total sampling, yakni seluruh data rawat inap mulai tanggal 01 Januari 2016 sampai dengan 31 Desember 2016 di wilayah Provinsi Jawa Barat digunakan sebagai sampel dalam penelitian. Hasil penelitian menunjukkan bahwa utilisasi rawat inap banyak diakses oleh peserta usia lansia (7,88%), jenis kelamin perempuan (7,23%), status perkawinan cerai (8,02%), riwayat penyakit keduanya (PM & PTM) (23,98%), jenis fasilitas kesehatan Puskesmas (4,66%), segmentasi kepesertaan PBP (11,02%), hak kelas rawat Kelas 1 (10,21%), wilayah tempat tinggal di Wilayah II Purwakarta (7,30%) dan tempat tinggal kota (9,15%). Variabel yang paling dominan berhubungan dengan kejadian utilisasi rawat inap adalah riwayat penyakit.

Kata kunci: Utilisasi, rawat inap, JKN

This study aims to find out how to use JKN Participants inpatients in West Java Province in 2016 which are used in hospitals or FKRTL. This research is a quantitative cross sectional study by processing secondary data that can be obtained from the Sample Data of BPJS Kesehatan for 2015-2016. The sampling technique in this study was total sampling, that is all inpatient data from January 1, 2016 to December 31, 2016 in the area of West Java Province were used as samples in the study. The results showed that the use of hospitalization was mostly accessed by elderly age participants (7.88%), female sex (7.23%), divorced marital status (8.02%), history of the disease (PM & PTM) (23.98%), type of health facility Puskesmas (4.66%), PBP membership segmentation (11.02%), nursing class Class 1 (10.21%), residential areas in Region II Purwakarta (7.30%) and city residence (9.15%). The most dominant variable related to the incidence of hospitalization is the history of the disease.

Key words: Utilization, inpatient, JKN