

Hubungan Konsumsi Alkohol Dan Rokok Dengan Seksual Pranikah Pada Remaja Di Indonesia (Analisis SDKI 2017)

Wardani, Rafida Kusuma

Deskripsi Lengkap: <https://lib.fkm.ui.ac.id/detail.jsp?id=136240&lokasi=lokal>

Abstrak

Perilaku seksual pranikah pada remaja merupakan salah satu masalah yang perlu diperhatikan, khususnya terkait faktor yang mendukung untuk terjadinya perilaku seksual pranikah pada remaja dan melihat terdapat peningkatan persentase pada data SDKI 2017 dibandingkan SDKI 2012. Penelitian ini menggunakan deskriptif analitik secara kuantitatif dengan menggunakan desain penelitian cross sectional dengan menggunakan data sekunder yaitu Data Survey Demografi Kesehatan Indonesia (SDKI) Tahun 2017 yang dapat diperoleh dari mengakses website Demographic and Health Surveys (DHS) dengan mengajukan perizinan pengambilan data sesuai prosedur yang berlaku. Data diolah dengan program SPSS dengan uji odds ratio dan uji regresi logistik ganda. Sebanyak 5,0% responden pernah melakukan perilaku seksual pranikah. Hasil uji multivariat pada responden yang pernah konsumsi alkohol mempunyai kecenderungan untuk berperilaku seksual 12,8 kali lebih tinggi, sedangkan responden yang pernah merokok mempunyai kecenderungan untuk berperilaku seksual 1,7 kali lebih tinggi setelah di kontrol faktor perilaku merokok, usia, tingkat pendidikan, dan tempat tinggal. Saran yang peneliti berikan adalah agar instansi terkait dapat mengembangkan program kesehatan reproduksi pada remaja khususnya terkait dampak negative alkohol dan rokok, dan bagi pemerintah juga dapat mengatur regulasi penjualan rokok dan alkohol agar tidak dengan mudah dapat diperoleh oleh remaja.

Premarital sexual behavior in adolescents is a problem that needs attention, especially related to the factors that support the occurrence of premarital sexual behavior in adolescents and see an increase in the percentage in the 2017 IDHS data compared to the 2012 IDHS. This research uses descriptive analytic quantitative using a cross research design sectional by using secondary data, namely the 2017 Indonesian Demographic Health Survey (IDHS) data which can be obtained from accessing the Demographic and Health Surveys (DHS) website by applying for permission to collect data according to applicable procedures. Data were processed using the SPSS program with the odds ratio test and multiple logistic regression tests. As much as 5.0% of the respondents had premarital sexual behavior. Multivariate test results on respondents who have consumed alcohol have a tendency to behave sexually 12.8 times higher, while respondents who have ever smoked have a tendency to behave sexually 1.7 times higher after controlling for smoking behavior factors, age, level of education, and residence. The suggestion that the researchers give is that relevant agencies can develop reproductive health programs for adolescents, especially related to the negative effects of alcohol and cigarettes, and for the government to also regulate regulations on the sale of cigarettes and alcohol so that they are not easily obtained by adolescents. Keyword : Alcohol, Cigarette, Premarital Sexual Behavior, Adolescents.