

Faktor-Faktor yang Mempengaruhi Catastrophic Health Expenditure (CHE) pada Rumah Tangga di Negara Berpenghasilan Rendah dan Menengah: Literature Review

Rahma, Khairunnisa Safina

Deskripsi Lengkap: <https://lib.fkm.ui.ac.id/detail.jsp?id=136470&lokasi=lokal>

Abstrak

<div style="text-align: justify;">Tesis ini membahas terkait faktor-faktor yang mempengaruhi dalam kejadian catastrophic health expenditure (CHE) pada rumah tangga di negara berpenghasilan rendah dan menengah. Penelitian ini adalah penelitian yang melibatkan studi dari negara berpenghasilan rendah dan menengah dengan metode literature review. Tujuan dari penelitian ini adalah melihat prevalensi kejadian CHE dan faktor-faktor yang meningkatkan risiko CHE pada rumah tangga. Hasil dari literature review ini menunjukkan prevalensi CHE tertinggi diantara negara berpenghasilan menengah yaitu pada Negara Myanmar dengan 22,7% dari total populasi. Sementara pada negara berpenghasilan rendah, prevalensi CHE tidak jauh berbeda dengan negara berpenghasilan menengah. Kejadian CHE pada rumah tangga dilatar belakangi oleh faktor-faktor seperti faktor sosio-demografi, faktor penyakit dan perawatan, aksesibilitas ke pelayanan kesehatan, dan wilayah tempat tinggal rumah tangga. Peran asuransi kesehatan berpengaruh untuk mengurangi risiko rumah tangga mengalami CHE, dan prevalensi CHE di suatu negara.

</div><hr /><div style="text-align: justify;">This thesis discusses the factors that influence the occurrence of catastrophic health expenditure (CHE) among households in low and middle income countries. This research is a study involving studies from low and middle income countries with a literature review. method. This study aims to identify the prevalence of CHE events and the factors that increase the risk of CHE in households. The results of this literature review show that the highest prevalence of CHE among middle-income countries is in Myanmar with 22.7% of the total population. Meanwhile, in low-income countries, the prevalence of CHE is not much different from countries with middle-income. The occurrence of CHE in households is motivated by factors such as socio-demographic factors, disease and treatment factors, accessibility to health services, and the area where the household resides. The role of health insurance has an effect on reducing the risk of households experiencing.</div>