

Pengaruh paritas terhadap kejadian kanker serviks uteri (leher rahim) di 6 rumah sakit Indonesia tahun 2006 (berdasarkan studi assessment faktor resiko kanker serviks tahun 2006)

Prastyo, Cahya Edi

Deskripsi Lengkap: <https://lib.fkm.ui.ac.id/detail.jsp?id=89907&lokasi=lokal>

Abstrak

ABSTRAK Kanker serviks uteri masih menjadi masalah kesehatan masyarakat di Indonesia. Kejadian kanker serviks uteri sebesar 12,6/100000 wanita dan angka kematiannya sebesar 7,0/100000 wanita (IARC, 2008). Hal ini dimungkinkan karena faktor resiko yang masih belum tertangani di masyarakat. Multi paritas (khususnya paritas > 4 kali) atau jumlah melahirkan pada wanita sebagai salah satu faktor resiko kanker serviks uteri ternyata masih tinggi di masyarakat. Penelitian ini ingin mengetahui pengaruh paritas > 4 kali terhadap kejadian kanker serviks uteri di 6 rumah sakit Indonesia. Penelitian dilakukan dengan desain kasus kontrol berbasis rumah sakit, dengan sampel sebanyak 364 wanita yang telah dipasangkan berdasarkan asal rumah sakit dan umur interval 10 tahun. Analisis multivariat menggunakan conditional logistic regression. Hasil menunjukkan bahwa paritas > 4 meningkatkan resiko kanker serviks uteri OR: 1,85 ; CI 95% (1,14 -3,02). Oleh karenanya usaha untuk pengembangan program yang dapat membatasi kelahiran seperti program Keluarga berencana akan membantu menurunkan terjadinya kasus serviks uteri.

ABSTRACT Uterine cervical cancer is still a public health problem in Indonesia with incidence rate of 12.6 / 100,000 women and mortality rate 7.0 / 100,000 women. (IARC, 2008). Indonesian mortality rate is still high due to the risk factors that have not been handled in community. Multi parity (especially parity > 4) or total of women giving birth as a risk factor for uterine cervical cancer was still high. This study aims to determine the effect of parity > 4 to uterine cervical cancer. The study design is a hospital-based case-control, which samples were taken from 6 hospitals and then matched by hospital and age interval of 10 years. Multivariate analysis using conditional logistic regression shows the parity > 4 increases the risk of uterine cervical cancer OR: 1.85, CI 95% (1.14 -3.02). Therefore, efforts to develop programs that can limit births as family planning program will help reduce the occurrence of cases of cervix uteri.